




MP SIREN
Music Play Back Siren


MP Siren ScyTek Mode Interface

(Black) Ground
(Red) +12V Power
(Orange) Not Used
(Brown) Siren in (+)
(Blue) Attention(-)
(White) Not Used



MP Siren Universal Mode Interface

(Black) Ground
(Red) +12V Power
(Orange) Arm (-)
(Brown) Siren in (+)
(Blue) Attention(-)
(White) WarnAway(-)



MP Siren

MP Siren is a playback device able to reproduce downloaded “wave” files.

Mp Siren Modes

ScyTek Mode

MP Siren in ScyTek mode receives all playback sound commands directly through the siren. This is an expanded mode, the security system can activate up to eleven sounds.


Universal Mode

MP Siren in universal mode receives playback sound commands directly through each wire individually.


CarTunes Software Installation

Use the enclosed CD or download the installation software from www.scytek.net website. Install the CarTunes Mp-Siren sound management software on your computer.


Install the Mp-Siren driver as described in the next section.



Sound Selection
Sound Edit
Play
Sound Volume High/Low



Sound Editing Window



Sound Selection Window

**MP Siren
USB Device Driver
First Time Installation
For Windows 2000 and
XP**

**To use MP Siren with
USB communications, the
following steps MUST be
taken in order to
properly install the
device drivers.**

Before You Begin

USB communication - Follow the instructions listed here. If you have already preinstalled the drivers during CarTunes installation, read "USB Preliminaries" and then jump to Step 3. Otherwise follow all instructions.

USB Preliminaries

- MP Siren should **NOT** be plugged into a USB port, powered, or plugged into a target board at this time. If you have already plugged MP Siren into the USB port and the "Found New Hardware Wizard" has popped up, click **Cancel** on that dialog, unplug the MP Siren and continue with these instructions.

Software Preliminaries

During the install, a dialog may pop up twice stating, "The software you are installing for this hardware: *CarTunes* has not passed Windows Logo testing..." In this case, *CarTunes* will be:

- CarTunes Firmware Loader
- CarTunes Firmware Client

If this happens, click "Continue Anyway" each time.

Click the **Close** button on the preinstaller/updater utility when done.

STEP 1

Connect CarTunes to the PC with a USB cable.

STEP 2 - Windows XP SP2

If you have service pack 2, the first time a new USB device is plugged into a Windows XP system, this dialog box will appear indicating that the system has found a new hardware device and asking you whether or not to search for update software. Select "No, not this time". Click "Next" and continue with the steps below.



STEP 3

The first time a new USB device is plugged in, a small dialog box will appear indicating that the system has found a new hardware device. There also may be a dialog box that informs the user that a device data base is being built or updated.

After these dialogs appear, the Found New Hardware Wizard dialog box is displayed. Select "Include this location in the search" and click "Browse" to select "C:\Program Files\ScyTek\CarTunes\bin"

STEP 4

During the install, a dialog will pop up stating, "The software you are installing for this hardware: *CarTunes* has not passed Windows Logo testing..." In this case will be "CarTunes Firmware Loader". Click "Continue Anyway". (See **Software Preliminaries** for a picture of this dialog.)

STEP 5

The "Completing the Found New Hardware Wizard" will appear once the CarTunes Firmware Client has been installed. Click "Finish" to end the USB installation.

STEP 5

Verify that the driver installed by viewing the Device Manager*.

*To open the Device Manager window, click Start>Settings>Control Panel. In Control Panel, double click System. In System Properties, Hardware tab, click **Device Manager**.



